



BUILT TO LAST.



RAIL RIDER **G-BL**

HI-RAIL SOLUTION FOR
BACKHOE LOADER

Your efficient guide from road to rail and back again

With hundreds of units working in the field, it's quick to see why the Dymax Rail Rider G-BL Hi-Rail system is the popular choice for many contractors, railroads, short lines and transit operators. Available to fit Case, Caterpillar, John Deere and JCB models of backhoe loaders. It's hi-rail simplified at its core.

Easy to install and you'll save thousands


Unlike dedicated permanent mounted railgear, the Rail Rider G Hi-Rail solution provides the flexibility and versatility you need. Simply remove the system for use in non-rail applications or to work in off-track conditions more efficiently.

PACKAGED MODELS

RAIL RIDER G-BL LBW SERIES

Rear dolly with front loader bucket mounted railgear


- Package includes rear 4-wheel dolly + set of railgear for welding to loader bucket.
- Dolly features new and improved flush mount pins to allow for maximum boom rotation of 180 degrees.
- Easily adapts in 8-12 hours depending on skill level.
- Available with optional upgrades. Contact sales 1-800-530-5407 for more information.
- Available for all brands, including Cat, Case, John Deere, JCB




RAIL RIDER G-BL DQ SERIES

Rear dolly with front loader coupler with integrated railgear

- Models for Caterpillar feature Cat IT coupler with manual railgear.
- Models for Case feature FFC-compatible coupler manual railgear.
- Models for John Deere feature JRB-compatible coupler interface with railgear.
- Dolly features new and improved flush mount pins to allow for maximum boom rotation of 180 degrees.
- Easily adapts in 12-16 hours depending on skill level.
- Available with optional upgrades. Contact sales 1-800-530-5407 for more information.
- Please note that specific machine series can affect availability for DQ series models.



OPTIONS



NON-WELD INTERFACE 4-WHEEL DOLLY



INSULATED RAILGEAR 4-WHEEL DOLLY



HYDRAULIC COUPLER MOUNTED FRONT GUIDES



SLIDER TYPE RAILGEAR

- 9 inch rail wheels. (All machines)
- Insulated railgear. (All machines)
- Non-welded interface available for new machines. (Cat, Deere, Case, JCB)
- Hydraulic lift railgear for fitting OEM Cat IT coupler. (For Cat only)
- Weld-on railgear kit for fitting OEM factory couplers. (For Cat and JCB only)

ACCESSORIES AVAILABLE AS UNPACKAGED SOLUTIONS

- Loader bucket mounted railgear (flip down) DY102460/DY102461
- Railgear kit to fit to attachments (slider type) 7441D reference
- Rear dolly group only – Call for details 1-800-530-5407 as dollies and machine adapters are packaged per brand/series.

WORK ATTACHMENTS



TIE HANDLER



TIE CRANE SLIDE GRAPPLE



CRIBBING CLAM BUCKET



BALLAST TAMPER SERIES 14



THUMB & CRIBBING BUCKET

SPECIFICATIONS



CATERPILLAR 416, 420, 430, 440, 450

MODEL	DESCRIPTION	Weight (lbs) Packaged	
LBW7 SERIES – Standard Packages with Loader Bucket Mounted Railgear for CATERPILLAR MACHINES			
RRDG-LBW7-CAT416-BL-10	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-Caterpillar 416-Backhoe Loader-Class 10	1450	
RRDG-LBW7-CAT420-BL-10	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-Caterpillar 420-Backhoe Loader-Class 10	1450	
RRDG-LBW7-CAT430-BL-10	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-Caterpillar 430-Backhoe Loader-Class 10	1450	
RRDG-LBW7-CAT440-BL-10	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-Caterpillar 440-Backhoe Loader-Class 10	1450	
RRDG-LBW7-CAT450F-BL-20	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-Caterpillar 450F-Backhoe Loader-Class 20	1450	
RRDG-LBW7-CAT450-BL-20	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-Caterpillar 450-Backhoe Loader-Class 20	1450	
DQW7 SERIES – Models with Dymax Front Loader Coupler with Manual Railgear			
RRDG-DQW7-CAT420-BL-20	Rail Rider Guide-Rear Dolly with Dymax Front Coupler with Weld-On Railgear Kit, 7in wheel diameter-Caterpillar 420-Backhoe Loader-Class 20	CATIT	1850
RRDG-DQW7-CAT430-BL-20	Rail Rider Guide-Rear Dolly with Dymax Front Coupler with Weld-On Railgear Kit, 7in wheel diameter-Caterpillar 430-Backhoe Loader-Class 20	CATIT	1850
RRDG-DQW9-CAT450F-BL-20	Rail Rider Guide-Rear Dolly with Dymax Front Coupler with Weld-On Railgear Kit, 9in wheel diameter-Caterpillar 450F-Backhoe Loader-Class 20	CATIT	1850



DYMAXRAIL
402 Miller Drive
Wamego, KS 66547 USA

Toll Free: 800.530.5407 (USA/CAN)
Office: +1.785.456.2081
Fax: +1.785.456.8328

www.DYMAXRAIL.com
sales@DYMAXRAIL.com

SPECIFICATIONS



JOHN DEERE 310, 410, 710

MODEL	DESCRIPTION	Weight (lbs) Packaged	
LBW7 SERIES - Standard Packages with Loader Bucket Mounted Railgear for JOHN DEERE BACKHOE LOADERS			
RRDG-LBW7-JD310-BL-10	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-John Deere 310-Backhoe Loader-Class 10	1450	
RRDG-LBW7-JD410-BL-10	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-John Deere 410-Backhoe Loader-Class 10	1450	
RRDG-LBW7-JD710-BL-20	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-John Deere 710-Backhoe Loader-Class 20	1450	
DQW7 SERIES - Models with Dymax Front Loader Coupler with Manual Railgear			
RRDG-DQW7-JD310-BL-10	Rail Rider Guide-Rear Dolly with Dymax Front Coupler with Weld-On Railgear Kit, 7in wheel diameter-John Deere 310-Backhoe Loader-Class 10	JRB	1850
RRDG-DQW7-JD410-BL-10	Rail Rider Guide-Rear Dolly with Dymax Front Coupler with Weld-On Railgear Kit, 7in wheel diameter-John Deere 410-Backhoe Loader-Class 10	JRB	1850
RRDG-DQW7-JD710-BL-20	Rail Rider Guide-Rear Dolly with Dymax Front Coupler with Weld-On Railgear Kit, 7in wheel diameter-John Deere 710-Backhoe Loader-Class 20	JRB	1850



DYMAXRAIL
402 Miller Drive
Wamego, KS 66547 USA

Toll Free: 800.530.5407 (USA/CAN)
Office: +1.785.456.2081
Fax: +1.785.456.8328

www.DYMAXRAIL.com
sales@DYMAXRAIL.com

SPECIFICATIONS



CASE 580, 590

MODEL	DESCRIPTION	Weight (lbs) Packaged	
LBW7 SERIES - Standard Packages with Loader Bucket Mounted Railgear for CASE BACKHOE LOADERS			
RRDG-LBW7-CE580SN-BL-10	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-Case 580SN-Backhoe Loader-Class 10		1450
RRDG-LBW7-CE590SN-BL-10	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-Case 590SN-Backhoe Loader-Class 10		1450
DQW7 SERIES – Models with Dymax Front Loader Coupler with Manual Railgear			
RRDG-DQW7-CE580SN-BL-10	Rail Rider Guide-Rear Dolly with Dymax Front Coupler with Weld-On Railgear Kit, 7in wheel diameter-Case 580SN-Backhoe Loader-Class 10	FFC	1850
RRDG-DQW7-CE590SN-BL-10	Rail Rider Guide-Rear Dolly with Dymax Front Coupler with Weld-On Railgear Kit, 7in wheel diameter-Case 590SN-Backhoe Loader-Class 10	FFC	1850



DYMAXRAIL
402 Miller Drive
Wamego, KS 66547 USA

Toll Free: 800.530.5407 (USA/CAN)
Office: +1.785.456.2081
Fax: +1.785.456.8328

www.DYMAXRAIL.com
sales@DYMAXRAIL.com

SPECIFICATIONS



JCB 3CX 4CX

MODEL	DESCRIPTION	Weight (lbs) Packaged
LBW7 SERIES – Standard Packages with Loader Bucket Mounted Railgear for JCB BACKHOE LOADERS		
RRDG-LBW7-JCB 3CX-BL-10	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-JCB 3CX-Backhoe Loader-Class 10	1450
RRDG-LBW7-JCB 4CX-BL-10	Rail Rider Guide-Rear Dolly with Loader Bucket Weld-On Railgear Kit, 7in wheel diameter-JCB 4CX-Backhoe Loader-Class 10	1450



DYMAXRAIL | Toll Free: 800.530.5407 (USA/CAN)
402 Miller Drive | Office: +1.785.456.2081
Wamego, KS 66547 USA | Fax: +1.785.456.8328

www.DYMAXRAIL.com
sales@DYMAXRAIL.com



402 Miller Drive | PO BOX 297 | Wamego, KS 66547 USA

US: 1-800-530-5407 | WORLD WIDE: 785-456-2081