

BUILT TO LAST.



RAILWAY TRACK CARTS

DymaxRail designs and builds high quality **Railway Track Carts** for transporting equipment and materials in railway construction and maintenance applications. Built with durable, dual-beam steel construction and a robust plate deck, these carts offer essential functionality and long lasting durability.

6687D2-30T 8ftx20ft


- Tow pintle hitch, park brake & 2-wheel air brake, sweeps, tie downs, directonal lighting systems & stakes.
- San Francisco, CA Tunnel Rehab Project.

Key Features and Benefits:

- High-Strength Frame & Deck: Heavy-duty deck construction and tube style steel framing ensure long-lasting durability.
- Park Brake: Integrated manual park brake with a cobratype pad for secure stopping on all standard models.
- Tie-Down & Lift Locations: Secure anchoring points to safely transport loads and facilitate cart placement on and off the tracks.
- Optional Features: Options include adjustable axle gauge, directional lighting, steel stakes, lift chains, forklift tine pockets, jackstand stabilizers, ratchet strap tie-downs, air brakes, hydraulic brake with a release pump, slip-over gondola boxes or removeable panel walls.



7565D1-30T 6ftx16ft





lighting.



7296D1-20T 8ftx16ft with slip on 2 bin box. Features optional ratchet tie downs with straps.



Group No: Model Number Carts Listed are for Standard Gauge: 1435mm / 56.50 inches. (Size listed is feet) x (P = Park Brake)	Special Features	Max Load Rating (US Tons)	Deck Height Off Rail (inches)	Weight (lbs)
STANDARD TRACK CARTS				
5975D2: DX-RC-TMHD-6FT6x14P-DMX-6TC- Standard Track Cart Width: 6 1/2 feet / Length: 14 feet	Manual Park Brake	6	19.00	2,700
7655D2: DX-RC-TMHD-8x10AAL-DMX-10TC- Track Cart Width: 8 feet / Length: 10 feet Heavy duty axles, rail sweeps, hitches, air brakes and autochange directional lighting systems with LED spot lamps *Shown on front page with attachment tray.	4 Wheel Air Brake Directional Lights	10	20.00	3,500 (cart only) 5,070 with tray
6818D2: DX-RC-TMHD-8x20AA-DMX-15TC- Track Cart Width: 8 feet / Length: 20 feet	4-Wheel Air Brake	15	20.50	4,800
6364D2: DX-RC-TMHD-8x16PL-DMX-20TC- Standard Track Cart Width: 8 feet / Length: 16 feet *Shown on page 2	Manual Park Brake Directional Lights	20	21.50	4,630
7296D2: DX-RC-TMHD-8x16AAL-DMX-20TC- Track Cart Width: 8 feet / Length: 16 feet *Shown on page 2	4 Wheel Air Brake Directional Lights			5,870
6687D2: DX-RC-TMHD-8x20PAL-DMX-20TC - Standard Track Cart Width: 8 feet / Length: 20 feet *Shown on front page where multiple carts were used to create rail train.	Manual Park Brake 2 Wheel Air Brake Directional Lights			6,010
7629D1: DX-RC-TMHD-8x20P-DMX-30TC- Standard Track Cart Width: 8 feet / Length: 20 feet	Manual Park Brake	30	22.00	6,090
7565D1: DX-RC-TMHD-6X16P-DMX-30TC - Standard Track Cart Width: 6 feet / Length: 16 feet Heavy duty axles, rail sweeps, welded pin eye hitch and 1/2" thick steel deck plate. *Shown on page 2	Manual Park Brake			6,240
8318D1: DX-RC-TMHD-6x16PA-DMX-32TC- Track Cart Width: 6 feet / Length: 16 feet Heavy duty axles, rail sweeps, hitches, air brakes and autochange directional lighting systems with LED spot lamps *Shown on page 2	Manual Park Brake 2 Wheel Air Brake	35	22.00	6,100
7017D1: DX-RC-TMHD-8x24AAWG-DMX-32TC - Track Cart Width: 8 feet / Length: 24 feet Wide gauge 66", air brakes	4 Wheel Air Brake Wide Gauge			8,380
7091D1: DX-RC-TMHD-8X20AALDG-DMX-32TC-Track Cart Width: 8 feet / Length: 20 feet Dual gauge (standard to broad 66"), air brakes and 4x corner manual stabilizers, auto change directional lighting systems with LED spot lamps.	4 Wheel Air Brake Directional Lights Dual Gauge & Jack- stand stabilizers			7,000

Design and specifications are subject to change without notice.

All carts listed feature non-insulated railgear and are suited for standard gauge track (56.50 inches / 1435mm). Custom solutions are available for narrow and wide track gauges. Contact DymaxRail Sales 1-800-530-5407 for special applications and options.



DYMAXRAIL | Toll Free: 800.530.5407 (USA/CAN) 402 Miller Drive | Office: +1.785.456.2081 | Fax: +1.785.456.8328

www.DYMAXRAIL.com sales@DYMAXRAIL.com